

msi™



Z77 MPOWER

Intel® Z77 Chipset

FREE steelseries QcK



WORTH \$499

- Support 3rd Gen Intel® Core™ i7 / Core™ i5 / Core™ i3 / Pentium® / Celeron® processors for LGA 1155 socket
- Supports 4 DIMM of DDR3-1066/1333/1600/1866*/2000*/2133*(OC)/2200*/2400*/2600*/2667*/2800*/3000*(OC, 22nm CPU required)MHz, 32GB Max
- Supports Bluetooth 3.0+HS and Wi-Fi 802.11 b/g/n
- 3 x PCI-E 3.0 x16 slots, 4 x PCI-E x1 slots, 8-channel Audio, 1 Gigabit LAN
- 4 x SATA 3Gb/s ports, 2 x SATA 6Gb/s ports, 1 x HDMI port
- 1 x Display port, 7 x USB 3.0, 5 x USB 2.0, ATX

P11,950

CHANGE THE GAME OF OVERCLOCKING



Z77A-GD55

Intel® Z77 Chipset

- Supports 3rd Gen Intel® Core™ i7/i5/i3, Pentium®, Celeron® processors for LGA 1155 socket
- Support 4 DDR3 DIMMs 1066/1333/1600/1866*/2000*/2133*/2200*/2400*/2600*/2667*/2800*(OC) DRAM, (32GB Max)
- 2 x PCI-E 3.0 x16 slots, 1 x PCI-E 2.0 x16 slot



Z77A-G45 THUNDERBOLT

Intel® Z77 Chipset

- 3rd Gen Intel® Core™ i7/i5/i3, Pentium®, Celeron® processors for LGA1155 socket
- Support 4 DDR3 DIMMs 1066/1333/1600/1866*/2000*/2133*/2200*/2400*/2600*/2667*/2800*(OC) DRAM, (32GB Max)
- 3 x PCI-E 3.0 x16 slots, 4 x PCI-E 2.0 x1 slots



Z77A-G43

Intel® Z77 Chipset

- 3rd Gen Intel® Core™ i7/i5/i3, Pentium®, Celeron® processors for LGA1155 socket
- Support 4 DDR3 DIMMs 1066/1333/1600/1866*/2000*/2133*/2200*/2400*/2600*/2667*/2800*(OC) DRAM, (32GB Max)
- 1 x PCI-E 3.0 x16 slot, 1 x PCI-E 2.0 x4 slot



H77MA-G43

Intel® H77 Chipset

- 3rd Gen Intel® Core™ i7/i5/i3, Pentium®, Celeron® processors in LGA1155 socket
- Supports 4 DDR3 DIMMs 1600/1333/1066 DRAM, 32GB Max
- 1 PCI-E 3.0 x16 slot, 1 PCI-E 2.0 x16 slot, 1 PCI-E 2.0 x1 slot

- 8 Channel Audio, 1 Gigabit LAN, 2 SATA III, 4 SATA II
- 1 x IEEE 1394, 3 x USB 3.0, 7 x USB 2.0
- Audio Ports 6+Coaxial/Optical SPDIF
- VGA, HDMI, DVI, ATX

P6,950



- 8 Channel Audio, 1 Gigabit LAN, 2 SATA III, 4 SATA II
- 3 x USB 3.0, 7 x USB 2.0
- VGA, HDMI, ATX

P8,450



- 2 x PCI-E 2.0 x1 slots, 8 x PCI slots
- 8 Channel Audio, 1 Gigabit LAN, 2 SATA III, 4 SATA II
- 3 x USB 3.0, 8 x USB 2.0
- VGA, HDMI, DVI, ATX

P5,450



- 8 Channel Audio, 1 Gigabit LAN
- 2 SATA II, 4 SATA II, 3 x USB 3.0, 7 x USB 2.0
- Audio Ports 6+Coaxial/Optical SPDIF
- VGA, DVI, M-ATX

P4,450



*Bundling Promo valid from Feb. 1 to Mar. 31, 2013 only.



X79A-GD45 (8D)

Intel® X79 Chipset

- 2nd Gen Intel® Core™ i7 processors in LGA2011 socket
- Supports 4 unbuffered DIMMs of 1.5 Volt DDR3 1066/1333/1600/1800*/2133*/2400* (OC) DRAM, 64GB Max
- 3 PCI-E gen3 x16 slot, 2 PCI-E gen2 x16 Slots
- 1 PCI-E x1 slot, 8 Channel Audio, 1 Gigabit LAN
- 2 SATA III, 4 SATA II
- 3 x USB 3.0, 8 x USB 2.0
- ATX

P11,950



B75MA-P45

Intel® B75 Chipset

- 3rd Gen Intel® Core™ i7/i5 A3/ Pentium®, Celeron® processors for LGA1155 socket
- 4 DIMMs support for DDR3-1066/1333/1600 MHz up to 32GB max
- 1 x PCIe 3.0 x16 slots, 1 x PCIe 2.0 x1 slots, 1 x PCI slots
- 8 Channel Audio, 1 Gigabit LAN, 1 SATA III, 5 SATA II
- 3 x USB 3.0, 7 x USB 2.0, VGA, DVI, M-ATX

P2,950

Also Available
B75IA-E33 ----- **P3,950**



H61M-G35 (G3)

Intel® H61 (B3) Chipset

- 3rd gen Intel® Core™ i7/i5/i3, Pentium®, Celeron® processors LGA1155 socket
- Supports 4 unbuffered DIMMs of 1.5 Volt DDR3 1066/1333 DRAM, 16GB Max
- 1 PCI-E gen3 x16 slot, 1 PCI-E gen2 x16 slot, 1 PCI slot
- 8 Channel Audio, 1 Gigabit LAN
- 4 SATA II, 7 x USB 2.0, 1 x Serial Header
- 1 x Parallel Header, Audio Ports 3, VGA, DVI
- M-ATX

P3,350



H61M-P31/W8

Intel® H61 (B3) Chipset

- 3rd gen Intel® Core™ i7/i5/i3, Pentium®, Celeron® processors LGA1155 socket
- Supports two unbuffered DIMM of 1.5 Volt DDR3 1066/1333 DRAM, 16GB Max
- 1 PCI-E gen3 x16 slot, 1 PCI Express gen2 x1 slot
- 8 Channel Audio, 1 Gigabit LAN, 4 SATA II
- 8 x USB 2.0, 1 x Serial Header, 1 x Parallel Header
- Audio Ports 3, VGA, DVI
- M-ATX

P2,450



LCD MONITOR
HF257 24.6"
P8,450



MOTHERBOARD
Z77 MPower
P11,950



ENCLOSURE
XPREDATOR
Black Edition
P6,950



BLU-RAY DRIVE
iHBS312 12x
P6,450



HEADSET
7H Fnatic
P6,499

LASER MOUSE
SENSEI Fnatic
P5,599

KEYBOARD
SHIFT
P4,999

MOUSEPAD
QcK+ Fnatic
P999

FEBRUARY 2013

*Actual product specifications, product bundling and the subsequent price may change without prior notice.

www.msi.com

msi™

PhysX™
by NVIDIA

NVIDIA
PUREVIDEO
HD

NVIDIA
SLI
READY

NVIDIA
GEFORCE
GTX

NVIDIA
3D VISION
READY

MSI
All Solid
Capacitors
MAX LIFESPAN

MSI
DIGITAL
POWER

READY FOR
3DMARK 11
The Game's Benchmark For DirectX 11

N690GTX-P3D4GD5

Graphics Engine : GeForce GTX 690
Bus Standard : PCI Express x16 3.0
Memory : 4096MB GDDR5
Memory Interface : 512 bits (256 bit per GPU)
Core Clock Speed : 915MHz (Boost Clock : 1019)
Memory Clock : 6008MHz
Video Output : DVI-I X2, DVI-D X1, Mini-Display Port x1

₹49,950

MSI N600GTX SERIES VIDEOCARDS

N680GTX LIGHTNING

Graphics Engine : GeForce GTX 680
Bus Standard : PCI Express x16 3.0
Memory : 2048MB GDDR5
Memory Interface : 256 bits
Core Clock Speed : 1110 (Boost Clock : 1176)
Memory Clock : 6008MHz (3004x2)
Video Output : DVI-I X1, DVI-D X1, HDMI x1, Display Port x1

₹28,950

N670 PE 2GD5/OC

Graphics Engine : GeForce GTX 670
Bus Standard : PCI Express x16 3.0
Memory : 2048MB GDDR5
Memory Interface : 256 bits
Core Clock Speed : 1019 (Boost Clock : 1097)
Memory Clock : 6008MHz
Video Output : DVI-I X1, DVI-D X1, HDMI x1, Display Port x1

₹21,950

PhysX™
by NVIDIA

NVIDIA
PUREVIDEO
HD

NVIDIA
SLI
READY

NVIDIA
GEFORCE
GTX

MSI
All Solid
Capacitors
MAX LIFESPAN

MSI
DIGITAL
POWER

READY FOR
3DMARK 11
The Game's Benchmark For DirectX 11

TRIPLE OVERVOLTAGE - ENHANCED PWM DESIGN

N660Ti PE 2GD5/OC

N650Ti HAWK



Graphics Engine : GeForce GTX 660 Ti
Bus Standard : PCI Express x16 3.0
Memory : 2048MB GDDR5
Memory Interface : 192 bits
Core Clock Speed : 1019 (Boost Clock : 1097)
Memory Clock : 6008MHz
Video Output : DVI-I x1, DVI-D x1, HDMI x1, Display Port x1

P15,950

TRIPLE OVERVOLTAGE - ENHANCED PWM DESIGN

Propeller Blade 30% more efficient

PhysX by NVIDIA

SLI

WINDFORCE



Graphics Engine : GeForce GTX 650 Ti
Bus Standard : PCI Express x16 3.0
Memory : 1024MB GDDR5
Memory Interface : 128 bits
Core Clock Speed : 1032 (Boost Clock : 1097)
Memory Clock : 5400MHz
Video Output : DVI x2, HDMI x1, Display Port x1

P8,950

Also Available
 N650 PE 1GD5/OC ----- P6,950

PhysX by NVIDIA

SLI

WINDFORCE



N640GT MD2GD3/OC

Graphics Engine : GeForce GT 640
Bus Standard : PCI Express x16 3.0
Memory : 2048MB DDR3
Memory Interface : 128 bits
Core Clock Speed : 941MHz
Memory Clock : 1782MHz
Video Output : DVI x1, D-Sub x1, HDMI x1

P4,850

PhysX by NVIDIA

SLI

WINDFORCE



N630GT MD4GD3

Graphics Engine : GeForce GT 630
Bus Standard : PCI Express x16 2.0
Memory : 4096MB DDR3
Memory Interface : 128 bits
Core Clock Speed : 810MHz
Memory Clock : 1000MHz
Video Output : DVI x1, D-Sub x1, HDMI x1

P3,450


Also Available
 N630GT-MD2GD3 ----- P2,950
 N620GT-MD1GD3/LP ----- P2,450
 N610GT-MD2GD3/LP ----- P2,150

PhysX by NVIDIA

SLI

WINDFORCE

RECOMMENDED RIG

 LED MONITOR HL248 23.6" w/ Speakers P8,450	 MOTHERBOARD H77MA-G43 P4,450	 VIDEO CARD N660Ti PE 2GD5/OC P15,950	 ENCLOSURE STRIKE-X P3,450	 POWER SUPPLY STRIKE-X 600W P3,450	 DVD/HD DRIVE PX-880SA 24x P1,399	 HEADSET SIBERIA V2 P4,999	 KEYBOARD 6GV2 P5,499	 MOUSE SENSEI [RAW] GLOSSY P4,399	 MOUSEPAD Q&K MASS P899
--	--	--	---	---	---	---	--	--	--

FEBRUARY 2013
 *Actual product specifications, product bundling and the subsequent price may change without prior notice.

www.msi.com

msi™



Z77 MPOWER

Intel® Z77 Chipset



- Support 3rd Gen Intel® Core™ i7 / Core™ i5 / Core™ i3 / Pentium® / Celeron® processors for LGA 1155 socket
- Supports 4 DIMM of DDR3-1066/1333/1600/1866*/2000*/2133*(OC)/2200*/2400*/2600*/2667*/2800*/3000*(OC, 22nm CPU required) MHz, 32GB Max
- Supports Bluetooth 3.0+HS and Wi-Fi 802.11 b/g/n
- 3 x PCI-E 3.0 x16 slots, 4 x PCI-E x1 slots, 8-channel Audio, 1 Gigabit LAN
- 4 x SATA 3Gb/s ports, 2 x SATA 6Gb/s ports, 1 x HDMI port
- 1 x Display port, 7 x USB 3.0, 5 x USB 2.0, ATX

P11,950

CHANGE THE GAME OF OVERCLOCKING



Z77A-GD55

Intel® Z77 Chipset

- Supports 3rd Gen Intel® Core™ i7/i5/i3, Pentium®, Celeron® processors for LGA 1155 socket
- Support 4 DDR3 DIMMs 1066/1333/1600/1866*/2000*/2133*/2200*/2400*/2600*/2667*/2800*(OC) DRAM, (32GB Max)
- 2 x PCIe 3.0 x16 slots, 1 x PCIe 2.0 x16 slot



Z77A-G45 THUNDERBOLT

Intel® Z77 Chipset

- 3rd Gen Intel® Core™ i7/i5/i3, Pentium®, Celeron® processors for LGA1155 socket
- Support 4 DDR3 DIMMs 1066/1333/1600/1866*/2000*/2133*/2200*/2400*/2600*/2667*/2800*(OC) DRAM, (32GB Max)
- 3 x PCIe 3.0 x16 slots, 4 x PCIe 2.0 x1 slots



Z77A-G43

Intel® Z77 Chipset

- 3rd Gen Intel® Core™ i7/i5/i3, Pentium®, Celeron® processors for LGA1155 socket
- Support 4 DDR3 DIMMs 1066/1333/1600/1866*/2000*/2133*/2200*/2400*/2600*/2667*/2800*(OC) DRAM, (32GB Max)
- 1 x PCI-E 3.0 x16 slot, 1 x PCI-E 2.0 x4 slot



H77MA-G43

Intel® H77 Chipset

- 3rd Gen Intel® Core™ i7/i5/i3, Pentium®, Celeron® processors in LGA1155 socket
- Supports 4 DDR3 DIMMs 1600/1333/1066 DRAM, 32GB Max
- 1 PCI-E 3.0 x16 slot, 1 PCI-E 2.0 x16 slot, 1 PCI-E 2.0 x1 slot

- 8 Channel Audio, 1 Gigabit LAN, 2 SATA III, 4 SATA II
- 1 x IEEE 1394, 3 x USB 3.0, 7 x USB 2.0
- Audio Ports 6+Coaxial/Optical SPDIF
- VGA, HDMI, DVI, ATX

P6,950



- 8 Channel Audio, 1 Gigabit LAN, 2 SATA III, 4 SATA II
- 3 x USB 3.0, 7 x USB 2.0
- VGA, HDMI, ATX

P8,450



- 2 x PCI-E 2.0 x1 slots, 3 x PCI slots
- 8 Channel Audio, 1 Gigabit LAN, 2 SATA III, 4 SATA II
- 3 x USB 3.0, 8 x USB 2.0
- VGA, HDMI, DVI, ATX

P5,450



- 8 Channel Audio, 1 Gigabit LAN
- 2 SATA III, 4 SATA II, 3 x USB 3.0, 7 x USB 2.0
- Audio Ports 6+Coaxial / Optical SPDIF
- VGA, DVI, M-ATX

P4,450



*Bundling Promo valid from Feb. 1 to Mar. 31, 2013 only



X79A-GD45 (8D)

Intel® X79 Chipset

- 2nd Gen Intel® Core™ i7 processors in LGA2011 socket
- Supports 4 unbuffered DIMMs of 1.5 Volt DDR3 1066/1333/1600/1800*/2133*/2400* (OC) DRAM, 64GB Max
- 3 PCI-E gen3 x16 slot, 2 PCI-E gen2 x16 Slots
- 1 PCI-E x1 slot, 8 Channel Audio, 1 Gigabit LAN
- 2 SATA III, 4 SATA II
- 3 x USB 3.0, 8 x USB 2.0
- ATX

P11,950



B75MA-P45

Intel® B75 Chipset

- 3rd Gen Intel® Core™ i7/i5/i3/ Pentium®, Celeron® processors for LGA 1155 socket
- 4 DIMMs support for DDR3-1066/1333/1600 Mhz up to 32GB max
- 1 x PCIe 3.0 x16 slots, 1 x PCIe 2.0 x1 slots, 1 x PCI slots
- 8 Channel Audio, 1 Gigabit LAN, 1 SATA III, 5 SATA II
- 3 x USB 3.0, 7 x USB 2.0, VGA, DVI, M-ATX

P2,950

Also Available
B75IA-E33 ----- P3,950



H61M-G35 (G3)

Intel® H61 (B3) Chipset

- 3rd gen Intel® Core™ i7/i5/i3, Pentium®, Celeron® processors LGA1155 socket
- Supports 4 unbuffered DIMMs of 1.5 Volt DDR3 1066/1333 DRAM, 16GB Max
- 1 PCI-E gen3 x16 slot, 1 PCI-E gen2 x16 slot, 1 PCI slot
- 8 Channel Audio, 1 Gigabit LAN
- 4 SATA II, 7 x USB 2.0, 1 x Serial Header
- 1 x Parallel Header, Audio Ports 3, VGA, DVI
- M-ATX

P3,350



H61M-P31/W8

Intel® H61 (B3) Chipset

- 3rd gen Intel® Core™ i7/i5/i3, Pentium®, Celeron® processors LGA1155 socket
- Supports two unbuffered DIMM of 1.5 Volt DDR3 1066/1333 DRAM, 16GB Max
- 1 PCI-E gen3 x16 slot, 1 PCI Express gen2 x1 slot
- 8 Channel Audio, 1 Gigabit LAN, 4 SATA II
- 8 x USB 2.0, 1 x Serial Header, 1 x Parallel Header
- Audio Ports 3, VGA, DVI
- M-ATX

P2,450



HANNspree

LCD MONITOR
HF257 24.6"
P8,450

msi

MOTHERBOARD
Z77 MPower
P11,950

VIDEOCARD
N680GTX Lightning
P28,950

AeroCool

ENCLOSURE
XPREDATOR Black Edition
P6,950

POWER SUPPLY
STRIKE-X 1100W
P6,950

LITEON

BLU-RAY DRIVE
iHBS312 12x
P6,450

RECOMMENDED RIG

steelseries

HEADSET
7H Fnatic
P6,499

LASER MOUSE
SENSEI Fnatic
P5,599

KEYBOARD
SHIFT
P4,999

MOUSEPAD
QcK+ Fnatic
P999

FEBRUARY 2013
*Actual product specifications, product bundling and the subsequent price may change without prior notice.

www.msi.com

msi™

PhysX™
by NVIDIA

NVIDIA
PUREVIDEO
HD

NVIDIA
SLI
READY

NVIDIA
GEFORCE
GTX

NVIDIA
3D VISION
READY

MSI
All Solid
Capacitors
MAX LIFESPAN

MSI
DIGITAL
POWER

READY FOR
3DMARK™ 11
The Game's Benchmark For DirectX 11

NVIDIA
GEFORCE
GTX

N690GTX-P3D4GD5

Graphics Engine : GeForce GTX 690
Bus Standard : PCI Express x16 3.0
Memory : 4096MB GDDR5
Memory Interface : 512 bits (256 bit per GPU)
Core Clock Speed : 915MHz (Boost Clock : 1019)
Memory Clock : 6008MHz
Video Output : DVI-I X2, DVI-D X1, Mini-Display Port x1

P49,950

MSI N600GTX SERIES VIDEOCARDS

N680GTX LIGHTNING

Graphics Engine : GeForce GTX 680
Bus Standard : PCI Express x16 3.0
Memory : 2048MB GDDR5
Memory Interface : 256 bits
Core Clock Speed : 1110 (Boost Clock : 1176)
Memory Clock : 6008MHz (3004x2)
Video Output : DVI-I X1, DVI-D X1, HDMI x1, Display Port x1

P28,950

N670 PE 2GD5/OC

Graphics Engine : GeForce GTX 670
Bus Standard : PCI Express x16 3.0
Memory : 2048MB GDDR5
Memory Interface : 256 bits
Core Clock Speed : 1019 (Boost Clock : 1097)
Memory Clock : 6008MHz
Video Output : DVI-I X1, DVI-D X1, HDMI x1, Display Port x1

P21,950

PhysX™
by NVIDIA

NVIDIA
PUREVIDEO
HD

NVIDIA
SLI
READY

NVIDIA
GEFORCE
GTX

MSI
All Solid
Capacitors
MAX LIFESPAN

MSI
DIGITAL
POWER

READY FOR
3DMARK™ 11
The Game's Benchmark For DirectX 11

NVIDIA
GEFORCE
GTX

TRIPLE OVERVOLTAGE - ENHANCED PWM DESIGN

N660Ti PE 2GD5/OC

N650Ti HAWK



Graphics Engine : GeForce GTX 660 Ti
Bus Standard : PCI Express x16 3.0
Memory : 2048MB GDDR5
Memory Interface : 192 bits
Core Clock Speed : 1019 (Boost Clock : 1097)
Memory Clock : 6008MHz
Video Output : DVI-I x1, DVI-D x1, HDMI x1, Display Port x1

P15,950

TRIPLE OVERVOLTAGE - ENHANCED PWM DESIGN

Propeller Blade 30% more airflow

PhysX by NVIDIA

SLI

MSI MILITARY CLASS III



Graphics Engine : GeForce GTX 650 Ti
Bus Standard : PCI Express x16 3.0
Memory : 1024MB GDDR5
Memory Interface : 128 bits
Core Clock Speed : 1032 (Boost Clock : 1097)
Memory Clock : 5400MHz
Video Output : DVI x2, HDMI x1, Display Port x1

P8,950

Also Available
 N650 PE 1GD5/OC ----- P6,950

PhysX by NVIDIA

SLI

MSI MILITARY CLASS III



N640GT MD2GD3/OC

Graphics Engine : GeForce GT 640
Bus Standard : PCI Express x16 3.0
Memory : 2048MB DDR3
Memory Interface : 128 bits
Core Clock Speed : 941MHz
Memory Clock : 1782MHz
Video Output : DVI x1, D-Sub x1, HDMI x1

P4,850

PhysX by NVIDIA

SLI

MSI MILITARY CLASS III



N630GT MD4GD3

Graphics Engine : GeForce GT 630
Bus Standard : PCI Express x16 2.0
Memory : 4096MB DDR3
Memory Interface : 128 bits
Core Clock Speed : 810MHz
Memory Clock : 1000MHz
Video Output : DVI x1, D-Sub x1, HDMI x1

P3,450

Also Available
 N630GT-MD2GD3 ----- P2,950
 N620GT-MD1GD3/LP ----- P2,450
 N610GT-MD2GD3/LP ----- P2,150

PhysX by NVIDIA

SLI

MSI MILITARY CLASS III

Hanns-G



LED MONITOR
HL248 23.6"
 w/ Speakers
P8,450

msi



MOTHERBOARD
H77MA-G43
P4,450

VIDEOCARD
N660Ti PE 2GD5/OC
P15,950

AeroCool



ENCLOSURE
STRIKE-X Advance White
P3,450

POWER SUPPLY
STRIKE-X 600W MODULAR
P3,450

PLEXTOR



DVD-RW DRIVE
PX-880SA 24x
P1,399

RECOMMENDED RIG

steelseries used by msi



HEADSET
SIBERIA V2
P4,999

KEYBOARD
6GV2
P5,499

MOUSE
SENSEI [RAW] GLOSSY
P4,399

MOUSEPAD
QcK MASS
P899

FEBRUARY 2013

*Actual product specifications, product bundling and the subsequent price may change without prior notice.

www.msi.com